BRAIN RESEARCH

VOL. 715 NO. 1,2 | CONTENTS | 9 APRIL 1996

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

MPP^+-induced neurotoxicity in mouse is age-dependent: evidenced by the selective inhibition of complexes of electron transport
V.G. Desai, R.J. Feuers, R.W. Hart and S.F. Ali (USA) 1

Comparative effect of IL-2 and IL-6 on morphology of cultured hippocampal neurons from fetal rat brain
M. Sarder, K. Abe, H. Saito and N. Nishiyama (Japan) 9

Choroid plexus taurine transport
R.F. Keep and J. Xiang (USA) 17

Nitric oxide synthase inhibitors produce phencyclidine-like behavioral effects in pigeons
D.C. Jewett, E.R. Butelman and J.H. Woods (USA) 25

Perineuronal microglial reactivity following proximal and distal axotomy of rat rubrospinal neurons
G.-F. Tseng, Y.-J. Wang and Q.-C. Lai (Taiwan, ROC) 32

Neuropathology of synthetic β-amyloid peptide analogs in vivo
S.-Y. Chen, J.W. Harding and C.D. Barnes (USA) 44

Systemic ketamine attenuates nociceptive behaviors in a rat model of peripheral neuropathy
J. Qian, S.D. Brown and S.M. Carlton (USA) 51

Reciprocal synaptic connections between neurotensin- and tyrosine hydroxylase-immunoreactive neurons in the mediobasal hypothalamus of the guinea pig
P. Marcos, M. Corio, P. Dubourg and G. Tramu (France) 63

Calbindin-D28k-immunoreactivity in the trigeminal ganglion neurons and molar tooth pulp of the rat
H. Ichikawa, T. Deguchi, Y. Fujiyoshi, T. Nakago, D.M. Jacobowitz and T. Sugimoto (Japan, USA) 71

Properties of Na^+-dependent K^+ conductance in the apical membrane of frog taste cells
T. Miyamoto, R. Fujiyama, Y. Okada and T. Sato (Japan) 79

Medial prefrontal cortical D_1 receptor modulation of the meso-accumbens dopamine response to stress: an electrochemical study in freely-behaving rats
M.D. Doherty and A. Gratton (Canada) 86

Effects of ether lipid 1-*O*-octadecyl-2-methoxy-*rac*-glycero-3-phosphocholine and its analogs PAF and CPAF on the release of nitric oxide in primary cultures of rat astrocytes
V. Cardile, X. Jiang, M. Renis and M. Bindoni (Italy) 98

NMDA as well as non-NMDA receptors mediate the neurotransmission of inspiratory drive to phrenic motoneurons in the adult rat
V.C. Chitravanshi and H.N. Sapru (USA) 104

Effects of testosterone upon MPTP-induced neurotoxicity of the nigrostriatal dopaminergic system of C57/Bl mice
D.E. Dluzen (USA) 113

Effects of social isolation rearing on learning in the Morris water maze
N. Wongwitdecha and C.A. Marsden (UK) 119

Trigeminal-parabrachial connections: possible pathway for nociception-induced cardiovascular reflex responses
G.V. Allen, B. Barbrick and M.J. Esser (Canada) 125

Thyrotropin-releasing hormone immunoreactive boutons form close appositions with medullary expiratory neurons in the rat
Q.-J. Sun, I. Llewellyn-Smith, J. Minson, L. Arnolda, J. Chalmers and P. Pilowsky (Australia) 136

Protein kinase C and mouse sciatic nerve regeneration
P. Wiklund, P.A.R. Ekström, M. Edbladh, D. Tonge and A. Edström (Sweden, UK) 145

Biphasic actions of the benzodiazepine receptor inverse agonist RU34347 in the rat cerebellar slice
A.K. Pringle, C.R. Gardner and R.J. Walker (UK) 155

Differences in striatal extracellular amino acid concentrations between Wistar and Fischer 344 rats after middle cerebral artery occlusion
R.C.G. Herz, P.J. Gaillard, D.J. De Wildt and D.H.G. Versteeg (The Netherlands) 163

Short-term stimulation-induced decreases in brown fat temperature
L. Kelly and C. Bielajew (Canada) 172

Sensorimotor impairments in Wistar Kyoto rats with cerebral infarction, induced by unilateral occlusion of the middle cerebral artery: recovery of function
F.J. Van der Staay, K.-H. Augstein and E. Horváth (Germany) 180

(contents continued on p. 237)

0006-8993(19960409)715:1/2;1-V

BRAIN RESEARCH

VOL. 715 NO. 1,2 | CONTENTS | 9 APRIL 1996

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

MPP^+-induced neurotoxicity in mouse is age-dependent: evidenced by the selective inhibition of complexes of electron transport
V.G. Desai, R.J. Feuers, R.W. Hart and S.F. Ali (USA) 1

Comparative effect of IL-2 and IL-6 on morphology of cultured hippocampal neurons from fetal rat brain
M. Sarder, K. Abe, H. Saito and N. Nishiyama (Japan) 9

Choroid plexus taurine transport
R.F. Keep and J. Xiang (USA) 17

Nitric oxide synthase inhibitors produce phencyclidine-like behavioral effects in pigeons
D.C. Jewett, E.R. Butelman and J.H. Woods (USA) 25

Perineuronal microglial reactivity following proximal and distal axotomy of rat rubrospinal neurons
G.-F. Tseng, Y.-J. Wang and Q.-C. Lai (Taiwan, ROC) 32

Neuropathology of synthetic β-amyloid peptide analogs in vivo
S.-Y. Chen, J.W. Harding and C.D. Barnes (USA) 44

Systemic ketamine attenuates nociceptive behaviors in a rat model of peripheral neuropathy
J. Qian, S.D. Brown and S.M. Carlton (USA) 51

Reciprocal synaptic connections between neurotensin- and tyrosine hydroxylase-immunoreactive neurons in the mediobasal hypothalamus of the guinea pig
P. Marcos, M. Corio, P. Dubourg and G. Tramu (France) 63

Calbindin-D28k-immunoreactivity in the trigeminal ganglion neurons and molar tooth pulp of the rat
H. Ichikawa, T. Deguchi, Y. Fujiyoshi, T. Nakago, D.M. Jacobowitz and T. Sugimoto (Japan, USA) 71

Properties of Na^+-dependent K^+ conductance in the apical membrane of frog taste cells
T. Miyamoto, R. Fujiyama, Y. Okada and T. Sato (Japan) 79

Medial prefrontal cortical D_1 receptor modulation of the meso-accumbens dopamine response to stress: an electrochemical study in freely-behaving rats
M.D. Doherty and A. Gratton (Canada) 86

Effects of ether lipid 1-*O*-octadecyl-2-methoxy-*rac*-glycero-3-phosphocholine and its analogs PAF and CPAF on the release of nitric oxide in primary cultures of rat astrocytes
V. Cardile, X. Jiang, M. Renis and M. Bindoni (Italy) 98

NMDA as well as non-NMDA receptors mediate the neurotransmission of inspiratory drive to phrenic motoneurons in the adult rat
V.C. Chitravanshi and H.N. Sapru (USA) 104

Effects of testosterone upon MPTP-induced neurotoxicity of the nigrostriatal dopaminergic system of C57/Bl mice
D.E. Dluzen (USA) 113

Effects of social isolation rearing on learning in the Morris water maze
N. Wongwitdecha and C.A. Marsden (UK) 119

Trigeminal-parabrachial connections: possible pathway for nociception-induced cardiovascular reflex responses
G.V. Allen, B. Barbrick and M.J. Esser (Canada) 125

Thyrotropin-releasing hormone immunoreactive boutons form close appositions with medullary expiratory neurons in the rat
Q.-J. Sun, I. Llewellyn-Smith, J. Minson, L. Arnolda, J. Chalmers and P. Pilowsky (Australia) 136

Protein kinase C and mouse sciatic nerve regeneration
P. Wiklund, P.A.R. Ekström, M. Edbladh, D. Tonge and A. Edström (Sweden, UK) 145

Biphasic actions of the benzodiazepine receptor inverse agonist RU34347 in the rat cerebellar slice
A.K. Pringle, C.R. Gardner and R.J. Walker (UK) 155

Differences in striatal extracellular amino acid concentrations between Wistar and Fischer 344 rats after middle cerebral artery occlusion
R.C.G. Herz, P.J. Gaillard, D.J. De Wildt and D.H.G. Versteeg (The Netherlands) 163

Short-term stimulation-induced decreases in brown fat temperature
L. Kelly and C. Bielajew (Canada) 172

Sensorimotor impairments in Wistar Kyoto rats with cerebral infarction, induced by unilateral occlusion of the middle cerebral artery: recovery of function
F.J. Van der Staay, K.-H. Augstein and E. Horváth (Germany) 180

(contents continued on p. 237)

0006-8993(19960409)715:1/2;1-V

(contents continued)

Reoxygenation of anoxic peripheral nerve myelinated axons promotes re-establishment of normal elemental composition
E.J. Lehning, P.K. Stys and R.M. LoPachin Jr. (USA, Canada) 189
What are the roles of substance P and neurokinin-1 receptors in the control of negative chronotropic or negative dromotropic vagal motoneurons? A physiological and ultrastructural analysis
V.J. Massari, T.A. Johnson, R.A. Gillis and P.J. Gatti (USA) 197
ATP receptor activation potentiates a voltage-dependent Ca channel in hippocampal neurons
S. Dave and D.J. Mogul (USA) 208

Short communications

Selective cyclooxygenase-2 inhibition reduces carrageenan oedema and associated spinal c-Fos expression in the rat
J. Buritova, V. Chapman, P. Honoré and J.-M. Besson (France) 217
Normal development of tyrosine hydroxylase and serotonin immunoreactive fibers innervating anterior cingulate cortex and visual cortex in rabbits exposed prenatally to cocaine
X.-H. Wang, P. Levitt, A. O'Brien Jenkins and E.H. Murphy (USA) 221
Differential distribution of three types of nociceptive neurons within the caudal bulbar reticular formation in the cat
Y. Fujino, N. Koyama and T. Yokota (Japan) 225
Differential distribution of four types of tooth pulp neurons in the caudal medulla oblongata of the cat
T. Yokota, Y. Nishikawa, N. Koyama and Y. Fujino (Japan) 230

Author Index 235